

LABORATORY REPORT

Name : **TEST PATIENT** File No. : **DML01-1301562**
DOB/Gender : **01-01-1980 (43 Yrs 17 Days/Female)** Referral Doctor : **Dr. Vibhav Vishwa Mohan**
Lab No. : **21230180096** Referral Clinic : **Dubai Medical Laboratory-Walk In**
Request Date : **18-01-2023 16:27** Clinic File No :
Insurance : **No**

STD 14 PANEL (REAL TIME PCR) MOLECULAR BIOLOGY/GENETICS

Test Name	Result	Units	Ref. Range	Method
*Neisseria Gonorrhoeae	Detected		Not Detected	RT PCR (NAAT)
*Candida Glabrata	Not Detected		Not Detected	RT PCR (NAAT)
*Candida Krusei	Not Detected		Not Detected	RT PCR (NAAT)
*Candida Albicans	Detected		Not Detected	RT PCR (NAAT)
*Mycoplasma genitalium	Not Detected		Not Detected	RT PCR (NAAT)
*Trichomonas vaginalis	Detected		Not Detected	RT PCR (NAAT)
*Ureaplasma Parvum	Not Detected		Not Detected	RT PCR (NAAT)
*Ureaplasma urealyticum	Not Detected		Not Detected	RT PCR (NAAT)
*Mycoplasma hominis	Not Detected		Not Detected	RT PCR (NAAT)
*HSV I PCR	Not Detected		Not Detected	RT PCR (NAAT)
*HSV II PCR	Not Detected		Not Detected	RT PCR (NAAT)
*Treponema pallidum	Not Detected		Not Detected	RT PCR (NAAT)
*Gardnerella Vaginalis	Detected		Not Detected	RT PCR (NAAT)
*Chlamydia trachomatis	Not Detected		Not Detected	RT PCR (NAAT)

Remarks: REAL TIME PCR STIs detects the presence of microorganisms causing sexually transmitted infections in clinical samples (urine & swabs).

Detection is carried out by the specific amplification of each genotype in the sample, originating a variable fragment with limit of detection between 50 to 500 genomic pairs (copies / mL of the sample).

The detection of the product is amplified by REAL TIME PCR platform. For optimal results of STD analysis in urine, please provide a first catch urine sample.

Remarks:

Test done in Urine.

Sample Type : Swab / LBC / Urine / Semen

----- End Of Report -----

These tests are accredited under ISO 15189:2012 unless specified by (*)

Sample processed on the same day of receipt unless specified otherwise.

Test results pertains only the sample tested and to be correlated with clinical history.

Reference range related to Age/Gender.

**Dr. Vibhav Vishwa
Mohan**

Laboratory Director

DHA-P-0121857

H/L Collected On : 18-01-2023 08:00:00 Received On : 18-01-2023 16:28:00

Authenticated On :

Released On :