

### LABORATORY REPORT

Name : **TEST PATIENT** File. No. : **DML01-1298853**  
DOB/Gender : **01-01-2022 (11 Month 27 Days/Male)** Referral Doctor : **Dr. Vibhav Vishwa Mohan**  
Lab No. : **21223570128** Referral Clinic : **Dubai Medical Laboratory-Walk In**  
Request Date : **23-12-2022 17:57** Clinic File No :  
Insurance : **No**

### STD 8 PANEL (REAL TIME PCR) MOLECULAR BIOLOGY/GENETICS

Test Name	Result	Units	Ref. Range	Method
*Neisseria Gonorrhoeae	Not Detected		Not Detected	RT PCR (NAAT)
*Mycoplasma genitalium	Not Detected		Not Detected	RT PCR (NAAT)
*Trichomonas vaginalis	Not Detected		Not Detected	RT PCR (NAAT)
*Ureaplasma Parvum	Not Detected		Not Detected	RT PCR (NAAT)
*Ureaplasma urealyticum	Not Detected		Not Detected	RT PCR (NAAT)
*Mycoplasma hominis	Not Detected		Not Detected	RT PCR (NAAT)
*Gardnerella Vaginalis	<b>Detected</b>		Not Detected	RT PCR (NAAT)
*Chlamydia trachomatis	Not Detected		Not Detected	RT PCR (NAAT)

Remarks: REAL TIME PCR STIs detects the presence of microorganisms causing sexually transmitted infections in clinical samples (urine & swabs).

Detection is carried out by the specific amplification of each genotype in the sample, originating a variable fragment with limit of detection between 50 to 500 genomic pairs (copies / mL of the sample).

The detection of the product is amplified by REAL TIME PCR platform. For optimal results of STD analysis in urine, please provide a first catch urine sample.

Sample Type : Swab / LBC / Urine / Semen

----- End Of Report -----

These tests are accredited under ISO 15189:2012 unless specified by (\*)

Sample processed on the same day of receipt unless specified otherwise.

Test results pertains only the sample tested and to be correlated with clinical history.

Reference range related to Age/Gender.

**Dr. Vibhav Vishwa  
Mohan**

Laboratory Director  
DHA-P-0121857

H/L Collected On : 23-12-2022 15:57:00 Received On : 23-12-2022 17:57:00

Authenticated On :

Released On :