

LABORATORY REPORT

Name : XXXXXXX File. No. : XXXXXX
DOB/Gender : XX-XX-XX (36 Yrs 4 Month 18 Days/Female) Referral Doctor : XXXXXX
Lab No. : 2122XXXXXX Referral Clinic : XXXXXX
Request Date : 10-05-2022 22:50 Clinic File No : XXXXXX
Insurance : No Referral Lab No : XXXXXXXX

STD 16 PANEL (REAL TIME PCR) MOLECULAR BIOLOGY/GENETICS

Test Name	Result	Units	Ref. Range	Method
*Neisseria Gonorrhoeae	Not Detected		Not Detected	RT PCR (NAAT)
*Candida Glabrata	Not Detected		Not Detected	RT PCR (NAAT)
*Candida Krusei	Not Detected		Not Detected	RT PCR (NAAT)
*Candida Parapsilosis	Not Detected		Not Detected	RT PCR (NAAT)
*Candida Tropicalis	Not Detected		Not Detected	RT PCR (NAAT)
*Candida Albicans	Not Detected		Not Detected	RT PCR (NAAT)
*Mycoplasma genitalium	Not Detected		Not Detected	RT PCR (NAAT)
*Trichomonas vaginalis	Not Detected		Not Detected	RT PCR (NAAT)
*Ureaplasma Parvum	Not Detected		Not Detected	RT PCR (NAAT)
*Ureaplasma urealyticum	Not Detected		Not Detected	RT PCR (NAAT)
*Mycoplasma hominis	Not Detected		Not Detected	RT PCR (NAAT)
*HSV I PCR	Not Detected		Not Detected	RT PCR (NAAT)
*HSV II PCR	Not Detected		Not Detected	RT PCR (NAAT)
*Treponema pallidum	Not Detected		Not Detected	RT PCR (NAAT)
*Gardnerella Vaginalis	Not Detected		Not Detected	RT PCR (NAAT)
*Chlamydia trachomatis	Not Detected		Not Detected	RT PCR (NAAT)

Remarks: REAL TIME PCR STIs detects the presence of microorganisms causing sexually transmitted infections in clinical samples (urine & swabs).

Detection is carried out by the specific amplification of each genotype in the sample, originating a variable fragment with limit of detection between 50 to 500 genomic pairs (copies / mL of the sample).

The detection of the product is amplified by REAL TIME PCR platform. For optimal results of STD analysis in urine, please provide a first catch urine sample.

Remarks:

Test done in Swab.

Sample Type : Swab / LBC / Urine / Semen

----- End Of Report -----

These tests are accredited under ISO 15189:2012 unless specified by (*)

Sample processed on the same day of receipt unless specified otherwise.

Test results pertains only the sample tested and to be correlated with clinical history.

Reference range related to Age/Gender.

**Dr. Mohamed Fawzy
Abdalaal**

Laboratory Director
52301696-001

H/L Collected On : 10-05-2022 14:00:00 Received On : 10-05-2022 22:50:46

Authenticated On : 11-05-2022 09:30:23 Released On : 11-05-2022 09:31:12

Printed On : 17-05-2022 15:02:03