

**MEDSOL DUBAI MEDICAL LABORATORY**  
(BR OF MEDSOL AL ABBAR LABORATORIES FOR RESEARCH & MEDICAL ANALYSIS L.L.C)

**LABORATORY REPORT**

Name : TEST PATIENT File. No. : DML01-1464534  
DOB/Gender : 26-05-2025 (1 Month 3 Days/Male) Referral Doctor : Dr. Vibhav Mohan  
Lab No. : 21251800150 Referral Clinic : Medsol Marketing  
Request Date : 29-06-2025 15:27 Clinic File No :  
Insurance : No

**STD 4 PANEL (REAL TIME PCR)  
MOLECULAR BIOLOGY/GENETICS**

Test Name	Result	Units	Ref. Range	Method
Neisseria Gonorrhoeae	Not Detected		Not Detected	RT PCR (NAAT)
Mycoplasma genitalium	<b>Detected</b>		Not Detected	RT PCR (NAAT)
Trichomonas vaginalis	Not Detected		Not Detected	RT PCR (NAAT)
Chlamydia trachomatis	Not Detected		Not Detected	RT PCR (NAAT)

Remarks: REAL TIME PCR STIs detects the presence of microorganisms causing sexually transmitted infections in clinical samples (urine & swabs).

Detection is carried out by the specific amplification of each genotype in the sample, originating a variable fragment with limit of detection between 50 to 500 genomic pairs (copies / mL of the sample).

The detection of the product is amplified by REAL TIME PCR platform.

Sample Type : Swab / LBC / Urine / Semen

----- End Of Report -----

These tests are accredited under ISO 15189:2022 unless specified by (\*)

Sample processed on the same day of receipt unless specified otherwise.

Test results pertains only the sample tested and to be correlated with clinical history.

Reference range related to Age/Gender.

**Dr. Vibhav V. Mohan**  
Laboratory Director  
DHA-P-0121857

Patient Sample Collected On : 29-06-2025 15:27:00  
Authenticated On :

Received On : 29-06-2025 15:27:00  
Released On :